



VOLVO FH

PRODUCT OVERVIEW









Exterior trim levels.

Choose between three different exterior trims and hundreds of colours to suit your taste and your practical needs. To fully explore the different exterior trim levels, use the Volvo Truck Builder on www.volvotrucks.com.au



BASIC TRIM. This trim level comes with a black grille and thunder grey bumper, mirrors and other details. Only the cab body is painted.



ENHANCED TRIM. Grille painted in the cab body colour, aluminum details on instep. Bumpers and mirrors are thunder grey.



HIGHESTTRIM. Grille, bumpers, mirrors etc, are all painted in the cab body colour. Aluminum details on instep.





Interior trim.




ROBUST TRIM. Vinyl upholstery, Raven rubber mats, Cross line decor trim and blue metallic trim lists.


Cab specifications.


SLEEPER CAB







GLOBETROTTER XL CAB





GLOBETROTTER XXL CAB





Chassis.



TYRE PRESSURE MONITORING. Lower fuel consumption and less tyre wear with the right pressure.

Powertrain Euro 6.

Engines Euro 6

13 LITRE	Max power	Max torque
D13K500 (368 kW)	500 hp at 1530–1800 r/min	2500 Nm at 980-1270 r/min
D13K500TC (368 kW)	500 hp at 1250–1600 r/min	2800 Nm at 900-1300 r/min
D13K540 (397 kW)	540 hp at 1460–1800 r/min	2600 Nm at 1000-1460 r/min

Gearboxes Euro 6

I-SHIFT

12-speed splitter and range gearbox with automated gearchanging system. The version with crawler gears facilitates easy operation with GCW up to 325 tonnes. The version with dual clutch (SPO2812) enables rapid, seamless and comfortable powershifting.

_			
Туре	Top gear	Engine torque (Nm)	GCW approval (tonnes)
AT2612F	Direct	2600	100
SPO2812 Dual Clutch	Overdrive	2800	80
AT2812F	Direct	2800	70

Powertrain Euro 5.

Engines Euro 5

13 LITRE	Max power	Max torque
D13C500 (368 kW)	500 hp at 1400–1900 r/min	2500 Nm at 1050-1400 r/min
D13C540 (397 kW)	540 hp at 1450–1900 r/min	2600 Nm at 1050–1450 r/min

Gearboxes Euro 5

I-SHIFT

12-speed splitter and range gearbox with automated gearchanging system. The version with dual clutch (SPO2812) enables rapid, seamless and comfortable powershifting. The version with crawler gears facilitates easy operation with GCW up to 325 tonnes.

Туре	Top gear	Engine torque (Nm)	GCW approval (tonnes)
AT2612F	Direct	2600	100
SPO2812 Dual Clutch	Overdrive	2800	80

Some of the equipment shown or mentioned may only be available as options or accessories and may vary from one country to another in accordance with local legislation. Your Volvo dealer will be happy to provide you with more detailed information. Colours may vary somewhat owing to the limitations of the printing process. We reserve the right to alter product specifications without prior notification.

Learn more and build your new truck at volvotrucks.com.au

